

SCOPE OF ACCREDITATION TO ISO/IEC 17025:2017

SGS NORTH AMERICA, INC. 96 Allen Boulevard, Suite D Farmingdale, NY 11735 Bobby Brown Phone: 631 293 8944

THERMAL

Valid To: January 31, 2026 Certificate Number: 2947.01

In recognition of the successful completion of the A2LA evaluation process, accreditation is granted to this laboratory to perform the following <u>flammability tests</u>:

| Test Method(s): | Test Description(s): |
|-----------------------------------|--|
| Mattress and Mattress Components: | |
| 16 CFR Part 1632 ¹ | Standard for the Flammability of Mattresses and Mattress Pads |
| 16 CFR Part 1633 ¹ | Standard for the Flammability (Open Flame) of Mattress Sets |
| 16 CFR Part 1632.6 | Ticking Substitution Procedure |
| CA TB 129 | Fire Test for Mattresses for Use in Public Buildings |
| CA TB 121 | Flammability Test Procedure for Mattresses for Use in High Risk Occupancies |
| CAN/CGSB-4.2, No.27.7 | Combustion Resistance of Mattresses – Cigarette Test |
| BFD IX-11 | Boston Mattress Fire Test |
| NFPA 267 | Standard Method of Test for Fire Characteristics of Mattresses and Bedding Assemblies Exposed to Flaming Ignition Source |
| ASTM E1590 | Standard Test Method for Fire Testing of Mattresses |
| ASTM F1566 Sections 7, 8, 9 | Evaluation of Mattresses |
| ASTM D3574 (Sections A, B1, B2, | Flexible Cellular Materials – Slab, Bonded and Molded |
| C, D, E, F, K, L, M, N | Urethane Foams |
| EN ISO 12952-2 | Assessment of the Ignitability of Bedding Items |
| Upholstery: | |
| California Technical Bulletin | Test Procedure and Apparatus for Testing the Smolder |
| 117:2013 | Resistance of Materials Used in Upholstered Furniture |
| Section 1 | Cover Fabric Test |
| Section 2 | Barrier Materials Test |
| Section 3 | Resilient Filling Material Test |
| Section 4 | Decking Material Test |
| CA TB 133 | Flammability Test Procedure for Seating Furniture for Use in |
| | Public Occupancies |
| ASTM E1537 | Standard Test Method for Fire Testing of Upholstered |
| | Furniture |
| BS EN 1021-1, -2 | Assessment of the Ignitability of Upholstered Furniture |
| I.S. 254:1983 | Flame Resistance Requirements for Upholstery |
| Upholstery (Cont.): | |

(A2LA Cert. No. 2947.01) 12/14/2023

Page 1 of 7

| Test Method(s): | Test Description(s): |
|--------------------------------------|---|
| NFPA 260 | Standard Method of Test and Classification System for Cigarette Ignition Resistance of Components of Upholstered Furniture |
| NFPA 261 | Standard Method of Test for Determining Resistance of Mock- Up Upholstered Furniture Material Assemblies to Ignition by Smoldering Cigarettes |
| NFPA 266 | Standard Method of Test for Fire Characteristics of Upholstered Furniture Exposed to Flaming Ignition Source |
| BFD IX-10 | Boston Regulation of Upholstered Furniture |
| UFAC | Upholstery Component Classification Test Methods |
| FED-STD-191, Methods 5903-01, -02 | Flame Resistance of Cloth, Vertical |
| ISO 7176-16 | Wheelchairs – Part 16: Resistance to ignition of postural support devices |
| BS 5852 | Ignitability of Upholstered Seating by Smoldering and Flaming Ignition Sources |
| I.S. 419:2011 | Fire Safety Requirements for Components of Furniture |
| Apparel: | |
| 16 CFR Part 1610 ¹ | Standard for the Flammability of Clothing Textiles |
| 16 CFR Part 1611 ¹ | Standard for the Flammability of Vinyl Plastic Film |
| 16 CFR Part 1615 ¹ | Standard for the Flammability of Children's Sleepwear: (Sizes 0 through 6X) |
| 16 CFR Part 1616 ¹ | Standard for the Flammability of Children's Sleepwear: (Sizes 7 through 14) |
| NFPA 702 | Standard for the Classification of the Flammability of Wearing Apparel |
| ASTM D6413 | Flame Resistance of Textiles (Vertical Test) |
| ASTM D1230 | Standard Test Method for Flammability of Apparel Textiles |
| Drapery / Decorative Materials / Te | entage / Carpet / Blanket: |
| 16 CFR Part 1630 | Standard for the Surface Flammability of Carpets and Rugs |
| 16 CFR Part 1631 | Standard for the Surface Flammability of Small Carpets and Rugs |
| ASTM D2859 | Standard Method for Ignition Characteristics of Finished Textile Floor Covering Materials |
| NFPA 701-1,2 | Standard Methods of Fire Tests for Flame Resistance of Textiles and Films |
| NFPA 705 ² | Recommended Practice for a Field Flame Test for Textiles and Films |
| CPAI-84 | Flame Resistant Materials Used in Camping Tentage |
| CA Title 19, Section 1237.1 | Flame Resistance, Small Scale Test |
| BFD IX-1 | Classification Fire Test |
| ASTM D4151 | Standard Test Method for Flammability of Blankets |
| ASTM D6413 | Flame Resistance of Textiles (Vertical Test) |
| CAN/ULC S-109 | Flame Tests of Flame Resistant Fabrics and Films |
| BS 5867-2 | Fabric for Curtains, Drapes, and Window Blinds |



| Test Method(s): | Test Description(s): |
|--|---|
| rest Method(s). | Test Description(s). |
| ISO 15025 | Protective Clothing-Protection against Flame-For Limited Flame Spread |
| ISO 6941 | Textile Fabric-Burning Behavior-Measurement of Flame Spread Properties of Vertically Oriented Speciments |
| Transportation ⁴ : | <u> </u> |
| ASTM E162 | Surface Flammability of Materials Using a Radiant Heat |
| 71011112102 | Energy Source |
| ASTM E648 | Critical Radiant Flux of Floor-Covering Systems Using a Radiant Heat Energy Source |
| ASTM E662 | Specific Optical Density of Smoke Generated by Solid Materials |
| 49 CFR 571.302 (FMVSS 302) | Federal Motor Vehicle Safety Standards – Flammability of Interior Materials |
| CMVSS 302 | Canada Motor Vehicle Safety Standards |
| | - Flammability of Interior Material |
| ISO 5660-1 | Heat Release Rate (Cone Calorimeter Method) and Smoke Production Rate (Dynamic Measurement) |
| ISO 5659-2 | Determination of Optical Density by a Single-Chamber Test |
| ISO 9239-1 | Determination of the Burning Behaviour using a Radiant Heat Source |
| ISO 11925-2 | Single-Flame Source Test |
| ISO 5658-2 | Lateral Spread on Building and Transport Products in Vertical Configuration |
| ISO 4589-2 | Determination of Burning Behaviour by Oxygen Index |
| ISO 1182 | Reaction to fire tests for products — Non-combustibility test |
| National school Transportation | NSTSP Prototype, School Bus Seat |
| Specifications and Procedure | |
| SMP 800c | Toxic Gas Generation – Toxic Gas Sampling and Analytical Procedures |
| EN 16989 | Fire Protection on Railway Vehicles - Fire Behaviour Test for a Complete Seat |
| EN 17084 | Fire Protection on Railway Vehicles - Toxicity Test of Materials and Components |
| Aerospace: | 1 |
| AITM 2.0002, FAR 25.853 | Resistance of Materials when tested according to the 12s or 60s |
| Appendix F Part 1 (a)1(i) and (ii), BSS 7230 F1, F2, F7 | Vertical Bunsen Burner Test |
| AITM 2.0003, FAR 25.853 | Resistance of Materials when tested according to the 15s |
| Appendix F Part 1 (a)1(iv) and (v), BSS 7230 F3, F4 | Horizontal Bunsen Burner Test |
| AITM 2.0004, FAR 25.853 | Flammability of Nonmetallic Materials |
| Appendix F Part 1 (a)(2)(iii), BSS 7230 F5 | – Small Burner Test, 45° |
| AITM 2.0005, FAR 25.853 | Flammability of Nonmetallic Materials |
| Appendix F Part 1 (a)3, BSS 7230 | – Small Burner Test, 60° |
| F6 AITM 2.0006, FAR 25.853 | Determination of Heat Release and Heat Release Rate of |
| Appendix F Part V, BSS 7322 | Aircraft Materials |
| 111 | |



| Test Method(s): | Test Description(s): |
|----------------------------------|---|
| <u>rest Method(s):</u> | Test Description(s): |
| AITM 2.0007, FAR 25.853 | Determination of the Specific Optical Smoke Density of |
| Appendix F Part V, BSS 7238 | Component Parts or Sub-Assemblies of Aircraft Interiors |
| AITM 2.0008, FAR 25.853 | Determination of the Optical Smoke Density of Electrical and |
| Appendix F Part V, BSS 7238 | Non-Electrical Cable |
| BSS7338; FAA Part 25 Chapter 12; | Power Plant Flame Penetration |
| AITM 2.0056, BSS 7387; FAA Part | Insulation Burn Through |
| 25 Appendix F Part VII | j i |
| Aerospace (Cont.): | |
| AITM 2.0009, FAR 25.853 | Fire Resistance of Aircraft Seat Cushion Utilizing a High |
| Appendix F Part II, BSS 7203 | Intensity Open Flame |
| AITM 2.0010, FAR 25.853 | Fire Resistance of Aircraft Cargo Compartment Lining |
| Appendix F Part III, BSS 7323 | Materials Utilizing a High Intensity Open Flame |
| AITM 2.0053, FAR 25.853 | Determination of Flammability and Flame Propagation of |
| Appendix F Part VI, BSS 7365 | Thermal/Acoustic Insulations Materials – Radiant Panel Test |
| AITM 3.0005, BSS 7239 | Determination of Specific Gas Components of Smoke Generated by Component Parts or Sub-Assemblies of Aircraft Interior |
| | Interior |
| Building Materials: | |
| ASTM E84 | Standard Test Method for Surface Burning Characteristics of Building Materials |
| ASTM E2768 | Standard Test Method for Extended Duration Surface Burning |
| | Characteristics of Building Materials (30 min Tunnel Test |
| CAN/ULC-S102 | Standard Method of Test for Surface Burning Characteristics of |
| | Building Materials and Assemblies |
| CAN/ULC S102.2 | Standard Method of Test for Surface Burning Characteristics of |
| | Flooring, Floor coverings, and miscellaneous Material and |
| | Assemblies |
| NFPA 262 | Standard Method of Test for Flame Travel and Smoke of Wires |
| | and Cables for Use in Air-Handling Spaces. |
| NFPA 265 | Standard Methods of Fire Tests for Evaluating Room Fire |
| | Growth Contribution of Textile or Expanded Vinyl Wall |
| | Coverings on Full Height Panels and Walls |
| NFPA 286 | Standard Methods of Fire Tests for Evaluating Contribution of |
| III 1605 | Wall and Ceiling Interior Finish to Room Fire Growth |
| UL 1685 | Standard for Vertical-Tray-Fire-Propagation and Smoke- |
| IEEE 383 | Released Test for Electrical and Optical-Fiber Cables IEEE Standard for Qualifying Electric Cables and Splices for |
| ILEE 303 | Nuclear Facilities |
| EN 13501-1 | Fire Classification of Construction Products and Building |
| LIV 13301-1 | Elements |
| | Dienono |
| Product Development: | I |
| ASTM D1929 | Determining Ignition Temperature of Plastics |
| ASTM D2863 | Measuring the Minimum Oxygen Concentration to Support |
| | Candle-Like Combustion of Plastics (Oxygen Index) |
| ASTM E136 | Behavior of Materials in a Vertical Tube Furnace at 750°C |



| Test Method(s): | Test Description(s): |
|---------------------------|--|
| ASTM E1354 | Heat and Visible Smoke Release Rates for Materials and Products Using an Oxygen Consumption Calorimeter |
| UL 1581 Section 1080 VW-1 | Reference Standard for Electrical Wires, Cables and Flexible Cords |
| Marine: | · |
| IMO FTP Code Part 1 | Non-Combustibility |
| IMO FTP Code Part 5 | Surface Flammability |
| IMO FTP Code Part 8 | Upholstered Furniture |
| IMO FTP Code Part 10 | High Speed Craft |
| IMO FTP Code Part 2 | Testing on Smoke Density and Toxicity |
| IMO FTP Code Part 7 | Testing of Vertically Supported Textiles and Films |

hu

| Test Method(s): | Test Description(s): |
|-------------------|---|
| Textiles: | |
| AATCC8 | Colorfastness to Crocking: Crockmeter |
| AATCC 16 option 3 | Colorfastness to Light: Xenon-Arc |
| ASTM D2261 | Tearing Strength of Fabrics by the Tongue (Single Rip) |
| | Procedure (Constant-Rate-of-Extension Tensile Testing Machine) |
| ASTM D3776 | Mass Per Unit Area (Weight) of Fabric |
| ASTM D3939 | Snagging Resistance of Fabrics (Mace) |
| ASTM D4034/D4034M | Resistance to Yarn Slippage at the Sewn Seam in Woven Upholstery Fabrics |
| ASTM D4157 | Abrasion Resistance of Textile Fabrics (Oscillatory Cylinder Method) |
| ASTM D4966 | Abrasion Resistance of Textile Fabrics (Martindale Abrasion Tester Method) |
| ASTM D4970 | Pilling Resistance and Other Related Surface Changes of Textile Fabrics: Martindale Tester |
| ASTM D5034 | Breaking Strength and Elongation of Textile Fabrics (Grab Test) |
| EN 60695-11-10 | Fire Testing Test Flames. 50 W Horizontal and Vertical Flame Test Methods Hazard |
| Wire and Cables: | |
| EN 50305 | Railway Rolling Stock Cables Having Special Fire Performance |
| EN 60332-1-2 | Test for Vertical Flame Propagation for a Single Insulated Wire or Cable |
| EN 61034-2 | Measurement of Smoke Density of Cables Burning Under Defined Conditions |
| EN IEC 60332-3-24 | Test for Vertical Flame Spread of Vertically-Mounted Bunched Wires or Cables |
| Analytical: | |
| ASTM D92 | Flash and Fire Points by Cleveland Open Cup Tester |
| ISO 2592 | Petroleum and Related Products-Determination of Flash and Fire Points-Cleveland Open Cup Method |
| ASTM D93 | Flash Point by Pensky-Martens Closed Cup Tester |
| IP 34 | Determination of Flash Point-Pensky-Martens Closed Cup Method |
| ISO 2719 | Determination of Flash Point-Pensky-Martens Closed Cup |
| ISO 15267 | Animal and Vegetable Fats and Oils-Flash Point Limit Test Using Pensky-Martens Closed Cup Flash Tester |

¹ The Consumer Product Safety Improvement Act (CPSIA) requires that every children's product subject to a federal consumer product safety requirement be tested by a Consumer Product Safety Commission (CPSC) accepted laboratory for compliance with the applicable federal children's product safety requirements. Accreditation by A2LA does not infer acceptance by the CPSC. Please verify this organization's acceptance status by using the CPSC's searchable database, located at http://www.cpsc.gov/cgi-bin/labsearch/.

²Test performed at permanent site, SGS North America, Inc., 96 and 100 Allen Boulevard, Farmingdale, NY 11735

⁴NOTE: The tests listed under the Transportation heading include certain Methods specified by US Rail (49 CFR Part 238B, NFPA 130), Docket 90, IMO, and European Rail (EN 45545-2).

Page 7 of 7



Accredited Laboratory

A2LA has accredited

SGS NORTH AMERICA, INC.

Farmingdale, NY

for technical competence in the field of

Thermal Testing

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2017 General requirements for the competence of testing and calibration laboratories. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISO-ILAC-IAF Communiqué dated April 2017).



Presented this 14th day of December 2023.

Mr. Trace McInturff, Vice President, Accreditation Services For the Accreditation Council

Certificate Number 2947.01

Valid to January 31, 2026